

•

Attorney's Docket No.: 08919-118001 / 12A-921219

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Tsann-Long Su et al.

Art Unit : 1614

Serial No.: 10/799,576

Examiner: Unknown

Filed

: March 12, 2004

Title

: 9-ANILINOACRIDINE ALKYLATING AGENTS

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Applicant submits the references listed on the attached form PTO-1449.

This statement is being filed within three months of the filing date of the application or before the receipt of a first Office action on the merits. Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

John T. Kendall, Ph.D.

Reg. No. 50,680

Fish & Richardson P.C. 225 Franklin Street Boston, MA 02110-2804 Telephone: (617) 542-5070

Facsimile: (617) 542-8906

20897547.doc

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date of Deposit

Signature

Denise A. Rose

Typed or Printed Name of Person Signing Certificate

te Form PTO-1449

U.S. Department of Commerce Patent and Trademark Office

Attorney's Docket No. Application No. 08919-118001 10/799,576

Information Disclosure Statement by Applicant (Use several sheets if necessary)

Tsann-Long Su et al.

Applicant

Filing Date

(37 CFR §1.98(b))

Group Art Unit March 12, 2004 1614

Other Documents (include Author, Title, Date, and Place of Publication)				
Examiner	Desig.			
Initial	ID	Document		
/RD/	AA	Arcamone, F. M.; Animati, F. A.; Configliacchi, E.; D'Alessio, R.; Geroni, C.; Giuliani, F. C.; Lazzari, E.; Menozzi, M.; Mongelli, N.; Penco, S.; Verini, M. A. Synthesis, DNA-Binding Properties, and Antitumor Activity of Novel Distamycin Derivatives. J. Med. Chem. 1989, 32, 774-778.		
00000000000000000000000000000000000000	AB	Baraldi, P. G.; Balboni, G.; Romagnoli, R.; Spalluto, G.; Cozzi, P.; Geroni, C.; Mongelli, N. Rutigliano, C.; Bianchi, N.; Gambari, R. PNU 157977: A New Potent Antitumor Agent Ext. Low in vivo Toxicity in Mice Injected with L1210 Leukemia Cells. Anti-Cancer Drug Desi, 14, 71-76.	nibiting g, 1999,	
National Confession Co	AC	Baraldi, P. G.; Romagnoli, R.; Guadix, A. E.; Pineda des las Infantas, M. J.; Gallo, M. A.; E. A.; Martinez, A.; Bingham, J. P.; Hartley, J. A. Design, Synthesis, and Biological Activity of Hybrid Compounds between Uramustine and DNA Minor Groove Binder Distamycin A. J. I. Chem. 2002, 45, 3630-3638.	of Med.	
20000000000000000000000000000000000000	AD	Baraldi, P. G.; Romagnoli, R.; Pavani, M. G.; Nunez, M. del C.; Bingham, J. P.; Hartey, J. A Benzoyl and Cinnamoyl Nitrogen Mustard Derivatives of Benzoheterocyclic Analogues of Tallimustine: Synthesis and Antitumor Activity. Bioorg. & Med. Chem. 2002, 10, 1611-161		
BB000000550	AE	Becker, A. and Rickard, R. W. An Expedient Synthesis of 3-Amino-5-hydroxy- benzoic acid N-Alkyl Analogues. Tetrahedron, 1983, 39, 4189-4192.		
	AF	Brendel, M. Ruhland, A. Relationship between functionality and genetic toxicology of select DNA-damaging agents. Mutat. Res. 1984, 133, 51-85.		
, RD/	AG	Connors, T.A., Antitumor alkylating agents: Cytotoxic Action and Organ Toxicity. In Schma Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (IARC). 1986, p. 143-145.		
	АН	Cozzi, P.; Beria, I.; Caldarelli, M.; Capolongo, L.; Geroni, C.; Mazzini, S.; Ragg, E. Phenyl Mustard Derivatives of Distamycin. Bioorg. & Med. Chem. Letters, 2000, 10, 1653-1656.	Sulfur	
	AI	Creech, H. J.; Preston, R. K.; Peck, R. M.; O'Connell, A. P. Antitumor and Mutagenic Prop a Variety of Heterocyclic Nitrogen and Sulfur Mustards. J. Med. Chem. 1972, 15, 739-746.	erties of	
APPROPRIESTO CONTRACTOR CONTRACTO	AJ	Denny, W. A.; Atwell, G. J., and Cain, B. F. Potential Antitumor Agents. 32. Role of Agent Base Strength in the Quantitative Structure-Antitumor Relationships for 4'-(9-Acridinylamino)methanesulfonamide Analogues. J. Med. Chem. 1979, 22, 1453-1460.		
(Maggassano)	AK	Denny W.A. Acridine Based Antitumor Agents. In The Chemistry of Antitumor Agents. D.F.V.		
Fan, JY.; Valu, K. K.; Woodgate, P. D.; Baguley, B. C.; Denny, W. A. Aniline Mustard Analogu of the DNA-Intercalating Agent Amsacrine: DNA Intercalation and Bilogical Activity. Anti-Cancel Drug Design, 1997, 12, 181-203.		-Cancer		
AM Gourdie, T. A.; Valu, K. K.; Gravatt, G. L.; Boritzki, T. J.; Baguley, B. C.; Wakelin, L. P. G.; Wilson, W. R.; Woodgate P. D.; Denny, W. A. DNA-Directed Alkylating Agents. 1. Structure- Activity Relationships for Acridine-Linked Aniline Mustards: Consequences of Varying the Reactivity of the Mustard. J. Med. Chem. 1990, 33, 1177-1186.			ıre-	
Gravatt, G. L.; Baguley, B. C.; Wilson, W. R.; Denny, W. A. DNA-Directed Alkylating Agents. 4 4-Anilinoquinoline-Based Minor Groove Directed Aniline Mustards. J. Med. Chem. 1991, 34, 1552-1560.		34,		
/RD/	/RD/ AO Hansson, J.; Lewensohn, R.; Ringborg, U.; Nilsson, B. Formation and removal of DNA cross-links induced by melphalan and nitrogen mustard in relation to drug-induced cytotoxicity in human melanoma cells. Cancer Res. 1987, 47, 2631-2637.			
Examiner Sign	ature	/Rita Desai/ Date Considered 06/13/2008		
EXAMINER: I next communication		on considered. Draw line through citation if not in conformance and not considered. Include copy of this formation in conformance and not considered. Include copy of this formation.		

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 08919-118001	Application No. 10/799,576	
	losure Statement plicant	Applicant Tsann-Long Su et al.		
(Use several sheets if necessary) (37 CFR §1.98(b))		Filing Date March 12, 2004	Group Art Unit 1614	

Design Design Document		Other Documents (include Author, Title, Date, and Place of Publication)			
AP Hertzberg, R. P.; Dervan, P. B. Cleavage of Double Helical DNA by (Methidium-propyl-EDTA)(m)(II). J. Am. Chem. Soc. 1982, 104, 313-315. AQ Köhler, B.; Su, TL.; Chou, TC.; Jiang, XJ.; Watanabe, K. A. Synthesis of Cyclopentanthraquinones: Analogues of Mitomycin C. J. Org. Chem. 1993, 58, 1680-1686. Kohn, K. W.; Hartley, J. A.; Mattes, W. B. Mechanisms of DNA sequence-selective alkylation of guanine N7 positions by nitrogen mustards. Nucleic Acid Res. 1987, 15, 10531-10549. Kohn, K. W.; Orr, A.; O'Connor, P. M. Synthesis and DNA-Sequence Selectivity of a Series of Mono- and Difunctional 9-Aminoacridine Nitrogen Mustards. J. Med. Chem. 1994, 37, 67-72. Koyama, M.; Takahashi, K.; Chou, TC.; Darzynkiewicz, Z.; Kapuscinnski, J.; Kelly, T. R.; Watanabe, K.Y. Intercalating Agents with Covalent Bond Forming Capability. A Novel Type of Potential Anticancer Agents, 2. Derivatives of Chrysophanol and Emodin. J. Med. Chem. 1989, 32, 1594-1599. Liu, L. F. DNA Topoisomerase Poison as antitumor Drugs. Annu. Rev. Biochem. 1989, 58, 351-357. McClean, S.; Costelloe, C.; Denny, W. A.; Searcey, M.; Wakelin, L. P. G. Sequence Selectivity, Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Anilinoquinoline Aniline Mustards. Anti-Cancer Drug Design, 1999, 14, 187-204. AW Articancer Drug Design, 1999, 14, 187-204. Aw Articancer Drug Design, 1999, 14, 187-204. Perkha, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. Az Activity of Alfhah-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-29. Activity of Alfhah-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-200. Articantory of Reduced Derivatives in Mitomyci			_		
AP EDTA)iron(II). J. Am. Chem. Soc. 1982, 104, 313-315.	Initial	ID ID			
AQ AQ AD AD AD AD AD AD AD AD	/DD /	ΔP			
Cyclopentanthraquinones: Analogues of Mitomycin C. J. Org. Chem. 1993, 58, 1680-1686. AR Kohn, K. W.; Hartley, J. A.; Mattes, W. B. Mechanisms of DNA sequence-setive alkylation of guanine N7 positions by nitrogen mustards. Nucleic Acid Res. 1987, 15, 10531-10549. AS Kohn, K. W.; Orr, A.; O'Connor, P. M. Synthesis and DNA-Sequence Selectivity of a Series of Mono- and Difunctional 9-Aminoacridine Nitrogen Mustards. J. Med. Chem. 1994, 37, 67-72. Koyama, M.; Takahashi, K.; Chou, TC.; Datzynkiewicz, Z.; Kapuscinnski, J.; Kelly, T. R.; Watanabe, K.Y. Intercalating Agents with Covalent Bond Forming Capability. A Novel Type of Potential Anticancer Agents. 2. Derivatives of Chrysophanol and Emodin. J. Med. Chem. 1989, 32, 1594-1599. AU Liu, L. F. DNA Topoisomerase Poison as antitumor Drugs. Amu. Rev. Biochem. 1989, 58, 351-357. McClean, S.; Costelloe, C.; Denny, W. A.; Searcey, M.; Wakelin, L. P. G. Sequence Selectivity, Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Anilinoquinoline Aniline Mustards. Anti-Cancer Drug Design, 1999, 14, 187-204. Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. AX Perchia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 979-9807. AZ Riskord, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Antitumor Agents for Reduced Derivatives in Mitomycin Biosynt	/HD/	711			
Cyciopeniantinadjuniones: Manalogues of Mitoniyeth. C. 3. Org. Chem. 1995, 8, 1805-1886. Kohn, K. W.; Aratley, J. A.; Mattes, W. B. Mechanisms of DNA sequence-selective alkylation of guanine N7 positions by nitrogen mustards. Nucleic Acid Res. 1987, 15, 10531-10549. Kohn, K. W.; Orr, A.; O'Connor, P. M. Synthesis and DNA-Sequence Selectivity of a Series of Mono- and Difunctional 9-Aminoacridine Nitrogen Mustards. J. Med. Chem. 1994, 37, 67-72. Koyama, M.; Takahashi, K.; Chou, TC.; Darzynkiewicz, Z.; Kapuscinnski, J.; Kelly, T. R.; Watanabe, K.Y. Intercalating Agents with Covalent Bond Forming Capability. A Novel Type of Potential Anticancer Agents. 2. Derivatives of Chrysophanol and Emodin. J. Med. Chem. 1989, 32, 1594-1599. AU Ji., L. F. DNA Topoisomerase Poison as antitumor Drugs. Annu. Rev. Biochem. 1989, 58, 351-357. McClean, S.; Costelloe, C.; Denny, W. A.; Searcey, M.; Wakelin, L. P. G. Sequence Selectivity, Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Antilinoquinoline Antiline Mustards. Anti-Cancer Drug Design, 1999, 14, 187-204. Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. RDD AX Perchia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymnine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Parkash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 101		Ι 40			
AR guanine N7 positions by nitrogen mustards. Nucleic Acid Res. 1987, 15, 10531-10549. AS Kohn, K. W.; Orr, A.; O'Connor, P. M. Synthesis and DNA-Sequence Selectivity of a Series of Mono- and Difunctional 9-Aminoacridine Nitrogen Mustards. J. Med. Chem. 1994, 37, 67-72. Koyama, M.; Takahashi, K.; Chou, TC.; Darzynkiewicz, Z.; Kapuscinnski, J.; Kelly, T. R.; Watanabe, K.Y. Intercalating Agents with Covalent Bond Forming Capability. A Novel Type of Potential Anticancer Agents. 2. Derivatives of Chrysophanol and Emodin. J. Med. Chem. 1989, 32, 1594-1599. AU Liu, L. F. DNA Topoisomerase Poison as antitumor Drugs. Annu. Rev. Biochem. 1989, 58, 351-357. McClean, S.; Costelloe, C.; Denny, W. A.; Searcey, M.; Wakelin, L. P. G. Sequence Selectivity, Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Anilinoquinoline Aniline Mustards. Anti-Cancer Drug Design, 1999, 14, 187-204. AW Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. AX Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobioti		AQ			
AS Kohn, K. W.; Orr, A.; O'Connor, P. M. Synthesis and DNA-Sequence Selectivity of a Series of Mono- and Difunctional 9-Aminoacridine Nitrogen Mustards. J. Med. Chem. 1994, 37, 67-72. Koyama, M.; Takahashi, K.; Chou, TC.; Darzynkiewicz, Z.; Kapuscinnski, J.; Kelly, T. R.; Watanabe, K.Y. Intercalating Agents with Covalent Bond Forming Capability. A Novel Type of Potential Anticancer Agents. 2. Derivatives of Chrysophanol and Emodin. J. Med. Chem. 1989, 32, 1594-1599. AU Liu, L. F. DNA Topoisomerase Poison as antitumor Drugs. Annu. Rev. Biochem. 1989, 58, 351-357. McClean, S.; Costelloe, C.; Denny, W. A.; Searcey, M.; Wakelin, L. P. G. Sequence Selectivity, Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Antilinoquinoline Antiline Mustards. Anti-Cancer Drug Design, 1999, 14, 187-204. AW Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. AX Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaistinkul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and spe	9	ΔR			
Mono- and Difunctional 9-Aminoacridine Nitrogen Mustards. J. Med. Chem. 1994, 37, 67-72. Koyama, M.; Takahashi, K.; Chou, TC.; Darzynkiewicz, Z.; Kapuscinnski, J.; Kelly, T. R. Watanabe, K.Y. Intercalating Agents with Covalent Bond Forming Capability. A Novel Type of Potential Anticancer Agents. 2. Derivatives of Chrysophanol and Emodin. J. Med. Chem. 1989, 32, 1594-1599. AU Liu, L. F. DNA Topoisomerase Poison as antitumor Drugs. Annu. Rev. Biochem. 1989, 58, 351-357. McClean, S.; Costelloe, C.; Denny, W. A.; Searcey, M.; Wakelin, L. P. G. Sequence Selectivity, Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Antilinoquinoline Antiline Mustards. Anti-Cancer Drug Design, 1999, 14, 187-204. AW Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. Perchia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. 1X The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.; Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs.		AIC			
Mono- and Diffunctional 9-Ammoacrianie Nifrogen Musteracs. J. Med. Chem. 1994, 7, 67-72. Koyama, M.; Takahashi, K.; Chou, TC.; Darzynkiewiez, Z.; Kspuscinnski, J.; Kelly, T. R.; Watanabe, K.Y. Intercalating Agents with Covalent Bond Forming Capability. A Novel Type of Potential Anticancer Agents. 2. Derivatives of Chrysophanol and Emodin. J. Med. Chem. 1989, 32, 1594-1599. AU Liu, L. F. DNA Topoisomerase Poison as antitumor Drugs. Annu. Rev. Biochem. 1989, 58, 351-357. McClean, S.; Costelloe, C.; Denny, W. A.; Searcey, M.; Wakelin, L. P. G. Sequence Selectivity, Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Anilinoquinoline Aniline Mustards. Anti-Cancer Drug Design, 1999, 14, 187-204. AW Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymnine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating aeridine-linked anline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.; Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC		AS			
AT Watanabe, K.Y. Intercalating Agents with Covalent Bond Forming Capability. A Novel Type of Potential Anticancer Agents. 2. Derivatives of Chrysophanol and Emodin. J. Med. Chem. 1989, 32, 1594-1599. AU Liu, L. F. DNA Topoisomerase Poison as antitumor Drugs. Annu. Rev. Biochem. 1989, 58, 351-357. McClean, S.; Costelloe, C.; Denny, W. A.; Searcey, M.; Wakelin, L. P. G. Sequence Selectivity, Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Anilimoquinoline Aniline Mustards. Anti-Cancer Drug Design, 1999, 14, 187-204. Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. AX Perchia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. AY Perchia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. AY Perchia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. AY Perchia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. AY Perchia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. III. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hvang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaistrikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.; Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Antit		715			
AU Liu, L. F. DNA Topoisomerase Poison as antitumor Drugs. Annu. Rev. Biochem. 1989, 58, 351-357. McClean, S.; Costelloe, C.; Denny, W. A.; Searcey, M.; Wakelin, L. P. G. Sequence Selectivity, Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Anilinoquinoline Aniline Mustards. Anti-Cancer Drug Design, 1999, 14, 187-204. AW Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. AY Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. AY Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. AY Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. III. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. AZ Robarted alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Robertson, I. G.; Knachalistirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. Ata. IX. The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and	0659000005500	AT	Watanabe, K.Y. Intercalating Agents with Covalent Bond Forming Capability. A Novel Type of		
AV Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Restell, P.; Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antibumor Agents Amsarcrine and Its Derivative IC-921 and Amsarcrine. Drug Metabolism of the Antibumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. AV Brick, D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-Q-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. AV Drache Colember 20, 20, 20, 20, 20, 20, 20, 20, 20, 20,	0.000	Ai	1594-1599.		
AV Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Anilinoquinoline Aniline Mustards. Anti-Cancer Drug Design, 1999, 14, 187-204. AW Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. AX Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945.	000000000000000000000000000000000000000	AU			
Anti-Cancer Drug Design, 1999, 14, 187-204. AW Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. AY DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'- (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and			McClean, S.; Costelloe, C.; Denny, W. A.; Searcey, M.; Wakelin, L. P. G. Sequence Selectivity,		
AW Peck, R. M.; O'Connell, P.; Creech, H. J. Heterocyclic Derivatives of 2-Chlorethyl Sulfide with Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	 	AV	Cross-Linking Efficacy and Cytotoxicity of DNA-Targeted 4-Anilinoquinoline Aniline Mustards.		
Ax Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. Ax Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. Az Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'- (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and					
Antitumor Activity. J. Med. Chem. 1966, 9, 217-221. AX Perehia, D.; Pullman, A. The molecular electrostatic potential of the B-DNA helix. II. The region of the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ AZ AZ AZ ASIONIA, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.; Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Antilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945.	000000	l aw			
the adenine-thymine base pair. Theor. Chim. Acta. 1979, 50, 351-354. Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945.	Antitumor Activity. J. Med. Chem. 1966, 9, 217-221.				
Prakash, A. S.; Denny, W. A.; Gourdie, T. A.; Valu, K. K.; Woodgate, P. D.; Wakelin, L. P. G. DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945.	/RD/	AX			
AY DNA-directed alkylating ligands as potential antitumor agents: sequence specificity of alkylation by DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945.					
DNA-intercalating acridine-linked aniline mustard. Biochemistry, 1990, 29, 9799-9807. AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and		A 37			
AZ Rastogi, K.; Chou, TC.; Ting, CY.; Chen, KT.; Hwang, J.; Su, TL. Synthesis and Biological Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Antilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	1 100	AY			
Activity of AHMA-EDTA Conjugates. Med. Chem. Res. 2002, 11, 278-292. Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	-	<u> </u>	· · · · · · · · · · · · · · · · · · ·		
Rickards, R. W.; Rukachaisirikul, V. 3-Amino-5-hydroxybenzoic acid in Antibiotic Biosynthesis. IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.; Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'- (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	Readour	AZ			
AAA IX The Status of Reduced Derivatives in Mitomycin Biosynthesis. Aust. J. Chem. 1987, 40, 1011-1015. Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	 				
Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and		A A A			
Robertson, I. G.; Kestell, P.;Dormer, R. A.; Paxton, J. W. Involvement of Glutathione in the Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'-(9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	aso ogg				
ABB Metabolism of the Anilinoacridine Antitumor Agents IC 921 and Amsarcrine. Drug Metab. Drug. Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'- (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and					
Interact. 1988, 6, 371-381. Robertson, I. G.; Palmer, B. D.; Paxton, J. W.; Shaw, G. J. Differencess in the Metabolism of the Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'- (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	000	ABB			
ACC Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22, 657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'- (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	700000				
657-669. Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'- (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939- 1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and					
Schmahl, D. Carcinogenicity of anticancer drugs and specially alkylating agents. In Schmahl, D. Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'- (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	gaapoin	ACC	Antitumor Agents Amsarcrine and Its Derivative IC-921 in Rat and Mouse. Xenobiotica 1992, 22,		
ADD Kaldor, J. M. (eds.) Carcinogenicity of alkylating cytostatic drugs. IACR Sci. Publ. No. 78 (Lyon: IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'- (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939-1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and					
IARC). 1986, p. 29-35. Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'- (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939- 1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	999				
Shoemaker, D. D.; Cysyk, R. L.; Gormley, P. E.; Desouza, J. J. V.; Malspeis, L. Metabolism of 4'- (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939- 1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	900	ADD			
AEE (9-Acridinylamino)methanesulfon-m-aniside by Rat Liver Microsomes. Cancer Res. 1984, 44, 1939- 1945. Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	9990				
1945. BD AFE Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and	, management of the control of the c				
	REGO(20000	AEE	1945.		
	/RD/	AFE	Singer, B. The chemical effects of nucleic acid alkylation, and their relationship to mutagenesis and		
carcinogenesis. Prog. Nucl. Acids Res. Mol. Biol. 1975, 15, 219-284.	/110/	AFF			

Examiner Signature /Rita Desai/	Date Considered 06/13/2008
EXAMINER: Initials citation considered. Draw line through citation if no next communication to applicant.	ot in conformance and not considered. Include copy of this form with

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 08919-118001	Application No. 10/799,576
Information Discl by App		Applicant Tsann-Long Su et al.	
(Use several sheets if necessary) (37 CFR §1.98(b))		Filing Date March 12, 2004	Group Art Unit 1614

	Other Documents (include Author, Title, Date, and Place of Publication)			
Examiner Initial	Desig. ID	Document		
, /RD/	AGG	Su, TL. Development of DNA Topoisomerase II-Mediated Anticancer Agents, 3-(9-Acridinylamino)-5-hydroxymethylaniline (AHMAs) and Related Compounds. Current Med. Chem. 2002, 9, 1677-1688.		
000000000000000000000000000000000000000	АНН	Su, TL.; Chen, CH.; Huang, LF.; Chen, CH.; Basu, M. K.; Zhang, XG.; Chou, TC. Synthesis and Structure-Activity Relationships of Potential Anticancer Agents: Alkylcarbamates of 3-(9-Acridinylamino)-5-hydroxymethylamine. J. Med. Chem. 1999, 42, 4741-4748.		
000000000000000000000000000000000000000	AII	Su, TL.; Chou, TC.; Kim, J. Y.; Huang, JT.; Ciszewska, G.; Ren, WY.; Otter, G. M.; Sirotnak, F. M.; Watanabe, K. A. 9-Substituted Acridine Derivatives with long Half-life and Potent Antitumor Activity: Synthesis and Structure-Activity Relationships. J. Med. Chem. 1995, 38, 3226-3235.		
0,655,000,055,000	AJJ	Suzukake, K.; Vistica, B. P.; Vistica, D. T. Dechlorination of L-phenylalanine mustard by sensitive and resistant tumor cells and its relationship to intracellular glutathione content. Biochem. Pharmacol. 1983, 32, 165-167.		
900000000000000000000000000000000000000	AKK	Turner, P. R.; Ferguson, L. R.; Denny, W. A. Polybenzamide Mustards: Structure-Activity Relationships for DNA Sequence-Specific Alkylation. Anti-Cancer Drug Design. 1999, 14, 61-70.		
/RD/	ALL	Valu, K. K.; Gourdie, T. A.; Gravatt, G. L.; Boritzki, T. J.; Woodgate, P. D.; Baguley, B. C.; Denny, W. A. DNA-Directed Alkylating Agents. 3. Structure-Activity Relationships for Acridine-Linked Aniline Mustards: Consequences of Varying the Length of the Linker Chain. J. Med. Chem. 1990, 33, 3014-3019.		
**************************************	AMM	Weiss, G. R.; Poggesi, I.; Rocchetti, M.; Demaria, D.; Mooneyham, T.; Reilly, D.; Vitek, L. V.; Whaley, F.; Patricia, E.; von Hoff, D. D.; O'Dwyer, P. A Phase I and Pharmacokinetic Study of Tallimustine [PNU152241 (FCE 24517)] in Patients with Advanced Cancer. Clin. Cancer Res. 1998, 4, 53-59.		
30000000000000000000000000000000000000	ANN	Wyatt, M. D.; Garbiras, B. J.; Haskell, M. K.; Lee, M.; Souhami, R. L.; Hartley, J. A. Structure-Activity Relationship of a Series of Nitrogen Mustard- and Pyrrole-Containing Minor Groove Binding Agents Related to Distamycin. Anti-Cancer Drug Designs, 1994, 9, 511-525.		
/RD/	A00	Wyatt, M. D.; Lee, M.; Hartley, J. A. Alkylation Specificity for a Series of Distarnycin Analogues that tether Chloambucil. Anti-Cancer Drug Design, 1997, 12, 49-60.		

Examiner Signature	Date Considered	
/Rita Desai/	06/13/2008	
EXAMINER: Initials citation considered. Draw line through citation if no	ot in conformance and not considered. Include copy of this form with	
next communication to applicant.		